

.....8: &\$\$\$ DRY CLEANER  
**CLEANERS AT**  
 DF 2000 DRY PURCHASE LOG  
 FOR AFTER FIRST 12 MONTHS OF RECORD KEEPING\*

PLEASE NOTE THE FOLLOWING

1. **DTAE OF ENTRY** should be the first WORKING day of every month.
2. **AMOUNT PURSHED** is the sum of the volume of all DF 2000 DRY purchases made in the prior month. If no perc purchase were made in a given month, enter zero gallons at the amount purchased for that month.
3. **12-MONTH TOTAL FROM** \_/\_ **TO** \_/\_ is the period of 12 months preceding the current month.
4. **12-MONTH TOTAL** is the sum of the volume of all perc purchases made in each of the previous 12 months.
5. If you own more than one facility, you are required to keep separate records for each facility.

	MONTH OF PURCHASE	DATE OF ENTRY	AMOUNT PURCHASED	12-MONTH TOTAL FROM _/_ TO _/_	12-MONTH TOTAL
1	Jan-14	1/1/2014		02/2013 -- 01/2014	
2	Feb-14	2/1/2014		03/2013 -- 02/2014	
3	Mar-14	3/1/2014		04/2013 -- 03/2014	
4	Apr-14	4/1/2014		05/2013 -- 04/2014	
5	May-14	5/1/2014		06/2013 -- 05/2014	
6	Jun-14	6/1/2014		07/2013 -- 06/2014	
7	Jul-14	7/1/2014		08/2013 -- 07/2014	
8	Aug-14	8/1/2014		09/2013 -- 08/2014	
9	Sep-14	9/1/2014		10/2013 -- 09/2014	
10	Oct-14	10/1/2014		11/2013 -- 10/2014	
11	Nov-14	11/1/2014		12/2013 -- 11/2014	
12	Dec-14	12/1/2014		01/2014 -- 12/2014	



NATIONAL DRYCLEANERS INSTITUTE

N. D. I.

FAX 847-756-1184

[WWW.NDIEDU.COM](http://WWW.NDIEDU.COM)

[INFO@NDIEDU.COM](mailto:INFO@NDIEDU.COM)

**2014 8: '8\$\$\$'8 FMDRY CLEANER  
CLEANERS AT  
EQUIPMENT INSPECTION AND REPAIRE LOG**

This log provides room for three months of entries. The first three columns must be completed even if no leaks are found. This sheet should be duplicated before use to provide for future logs.

*The following components must be checked for ~~COACH~~ OILY leaks every week.*

Perceptible leaks are ones that are detectable by ordor, visual observation such as pools or drops, and touch when passing fingers over equipment.

1. Hose and pipe connections Fitting, couplings, and valves	6. Water separators
2. Door gaskets/seatings	7. Muck cookers
3. Filter gaskets/seatings	8. Stills
4. Pumps	9. Exhaust dampers
5. Solvent tanks and containers	10. Diverter valves
	11. Cartrige filter housings

	NAME OR INITIALS (optional)	INSPECT DATE weekly	LEAKY COMPONENT(S) NAME(write "NONE" if no leaks are found)	LEAKY COMPONENT(S) LOCATION	PART ORDER DATE	PART REC'T DATE	REPAIR	D	S
							DATE		
1		1/4/2014						D	S
2		1/11/2014						D	S
3		1/18/2014						D	S
4		1/25/2014						D	S
5		2/1/2014						D	S
6		2/8/2014						D	S
7		2/15/2014						D	S
8		2/22/2014						D	S
9		3/1/2014						D	S
10		3/8/2014						D	S
11		3/15/2014						D	S
12		3/22/2014						D	S
13		3/29/2014						D	S
14		4/5/2014						D	S
15		4/12/2014						D	S
16		4/19/2014						D	S
17		4/26/2014						D	S
18		5/3/2014						D	S
19		5/10/2014						D	S
20		5/17/2014						D	S
21		5/24/2014						D	S
22		5/31/2014						D	S
23		6/7/2014						D	S
24		6/14/2014						D	S
25		6/21/2014						D	S
26		6/28/2014						D	S

\*\*\*\*\*2014 8: \$\$\$8 FMCLEANER

**CLEANERS AT  
EQUIPMENT INSPECTION AND REPAIR LOG**

This log provides room for three months of entries. The first three columns must be completed even if no leaks are found. This sheet should be duplicated before use to provide for future logs.

*The following components must be checked for OIL/GREASE/WATER leaks every week.*

Perceptible leaks are ones that are detectable by odor, visual observation such as pools or drops, and touch when passing fingers over equipment.

- |  |                               |
|--|-------------------------------|
| 1. Hose and pipe connections<br>Fitting, couplings, and valves | 6. Water separators           |
| 2. Door gaskets/seatings                                       | 7. Muck cookers               |
| 3. Filter gaskets/seatings                                     | 8. Stills                     |
| 4. Pumps   | 9. Exhaust dampers            |
| 5. Solvent tanks and containers                                | 10. Diverter valves           |
|  | 11. Cartridge filter housings |

	NAME OR INITIALS (optional)	INSPECT DATE weekly	LEAKY COMPONENT(S) NAME (write "NONE" if no leaks are found)	LEAKY COMPONENT(S) LOCATION	PART ORDER DATE	PART REC'T DATE	REPAIR DATE		
27		7/5/2014						D	S
28		7/12/2014						D	S
29		7/19/2014						D	S
30		7/26/2014						D	S
31		8/2/2014						D	S
32		8/9/2014						D	S
33		8/16/2014						D	S
34		8/23/2014						D	S
35		8/30/2014						D	S
36		9/6/2014						D	S
37		9/13/2014						D	S
38		9/20/2014						D	S
39		9/27/2014						D	S
40		10/4/2014						D	S
41		10/11/2014						D	S
42		10/18/2014						D	S
43		10/25/2014						D	S
44		11/1/2014						D	S
45		11/8/2014						D	S
46		11/15/2014						D	S
47		11/22/2014						D	S
48		11/30/2014						D	S
49		12/6/2014						D	S
50		12/13/2014						D	S
51		12/20/2014						D	S
52		12/27/2014						D	S



NATIONAL DRYCLEANERS INSTITUTE

N. D. I.

Tel 847)791-9973

FAX 847-756-1184

[WWW.NDIEDU.COM](http://WWW.NDIEDU.COM)

.....8: '8\$\$\$' **DRY CLEANER  
CLEANERS AT**

**DF 2000 DRY PURCHASE LOG  
FOR AFTER FIRST 12 MONTHS OF RECORD KEEPING\***

- PLEASE NOTE THE FOLLOWING
1. **DTAE OF ENTRY** should be the first WORKING day of every month.
  2. **AMOUNT PURSHED** is the sum of the volume of all DF 2000 DRY purchases made in the prior month. If no perc purchase were made in a given month, enter zero gallons at the amount purchased for that month.
  3. **12-MONTH TOTAL FROM** \_/\_ **TO** \_/\_ is the period of 12 months preceding the current month.
  4. **12-MONTH TOTAL** is the sum of the volume of all perc purchases made in each of the previous 12 months.
  5. If you own more than one facility, you are required to keep separate records for each facility.

	MONTH OF PURCHASE	DATE OF ENTRY	AMOUNT PURCHASED	12-MONTH TOTAL FROM _/_ TO _/	12-MONTH TOTAL
1	Jan-15	1/1/2015		02/2014 -- 01/2015	
2	Feb-15	2/1/2015		03/2014 -- 02/2015	
3	Mar-15	3/1/2015		04/2014 -- 03/2015	
4	Apr-15	4/1/2015		05/2014 -- 04/2015	
5	May-15	5/1/2015		06/2014 -- 05/2015	
6	Jun-15	6/1/2015		07/2014 -- 06/2015	
7	Jul-15	7/1/2015		08/2014 -- 07/2015	
8	Aug-15	8/1/2015		09/2014 -- 08/2015	
9	Sep-15	9/1/2015		10/2014 -- 09/2015	
10	Oct-15	10/1/2015		11/2014 -- 10/2015	
11	Nov-15	11/1/2015		12/2014 -- 11/2015	
12	Dec-15	12/1/2015		01/2015 -- 12/2016	



**NATIONAL DRYCLEANERS INSTITUTE  
N. D. I.**

Tel 847)791-0273

FAX 847-756-1184

**2015 DF 2000 DRY CLEANER  
CLEANERS AT  
EQUIPMENT INSPECTION AND REPAIR LOG**

This log provides room for three months of entries. The first three columns must be completed even if no leaks are found. This sheet should be duplicated before use to provide for future logs.

*The following components must be checked for DF 2000 leaks every week.*

Perceptible leaks are ones that are detectable by odor, visual observation such as pools or drops, and touch when passing fingers over equipment.

- |  |                               |
|--|-------------------------------|
| 1. Hose and pipe connections<br>Fitting, couplings, and valves | 6. Water separators           |
| 2. Door gaskets/seatings                                       | 7. Muck cookers               |
| 3. Filter gaskets/seatings                                     | 8. Stills                     |
| 4. Pumps   | 9. Exhaust dampers            |
| 5. Solvent tanks and containers                                | 10. Diverter valves           |
|  | 11. Cartridge filter housings |

#	NAME OR INITIALS (optional)	INSPECT DATE weekly	LEAKY COMPONENT(S) NAME(write "NONE" if no leaks are found)	LEAKY COMPONENT(S) LOCATION	PART ORDER DATE	PART REC'T DATE	REPAIR DATE	D	S
1		1/2/2015						D	S
2		1/9/2015						D	S
3		1/16/2015						D	S
4		1/23/2015						D	S
5		1/30/2015						D	S
6		2/6/2015						D	S
7		2/13/2015						D	S
8		2/20/2015						D	S
9		2/27/2015						D	S
10		3/6/2015						D	S
11		3/13/2015						D	S
12		3/20/2015						D	S
13		3/27/2015						D	S
14		4/3/2015						D	S
15		4/10/2015						D	S
16		4/17/2015						D	S
17		4/24/2015						D	S
18		5/1/2015						D	S
19		5/8/2015						D	S
20		5/15/2015						D	S
21		5/22/2015						D	S
22		5/29/2015						D	S
23		6/5/2015						D	S
24		6/12/2015						D	S
25		6/19/2015						D	S
26		6/26/2015						D	S



**NATIONAL DRYCLEANERS INSTITUTE**

**N. D. I.**

FAX 847-756-1184

[WWW.NDIEDU.COM](http://WWW.NDIEDU.COM)

[INFO@NDIEDU.COM](mailto:INFO@NDIEDU.COM)

## 2015 DF 2000 DRY CLEANER CLEANERS AT EQUIPMENT INSPECTION AND REPAIR LOG

This log provides room for three months of entries. The first three columns must be completed even if no leaks are found. This sheet should be duplicated before use to provide for future logs.

*The following components must be checked for DF 2000 leaks every week.*

Perceptible leaks are ones that are detectable by odor, visual observation such as pools or drops, and touch when passing fingers over equipment.

- |   |   |
|---|---|
| 1. Hose and pipe connections<br>Fitting, couplings, and valves<br>2. Door gaskets/seatings<br>3. Filter gaskets/seatings<br>4. Pumps<br>5. Solvent tanks and containers | 6. Water separators<br>7. Muck cookers<br>8. Stills<br>9. Exhaust dampers<br>10. Diverter valves<br>11. Cartridge filter housings |
|---|---|

#	NAME OR INITIALS (optional)	INSPECT DATE weekly	LEAKY COMPONENT(S) NAME (write "NONE" if no leaks are found)	LEAKY COMPONENT(S) LOCATION	PART ORDER DATE	PART REC'T DATE	REPAIR DATE	D	S
27		7/2/2015						D	S
28		7/10/2015						D	S
29		7/17/2015						D	S
30		7/24/2015						D	S
31		7/31/2015						D	S
32		8/7/2015						D	S
33		8/14/2015						D	S
34		8/21/2015						D	S
35		8/28/2015						D	S
36		9/4/2015						D	S
37		9/12/2015						D	S
38		9/18/2015						D	S
39		9/25/2015						D	S
40		10/2/2015						D	S
41		10/9/2015						D	S
42		10/16/2015						D	S
43		10/23/2015						D	S
44		10/30/2015						D	S
45		11/6/2015						D	S
46		11/13/2015						D	S
47		11/20/2015						D	S
48		11/27/2015						D	S
49		12/4/2015						D	S
50		12/11/2015						D	S
51		12/18/2015						D	S
52		12/28/2015						D	S



**NATIONAL DRYCLEANERS INSTITUTE**

**N. D. I.**

FAX 847-756-1184

[WWW.NDIEDU.COM](http://WWW.NDIEDU.COM)

[INFO@NDIEDU.COM](mailto:INFO@NDIEDU.COM)